



Publication Date: July 31, 2006



ENVIRONMENTAL ASSESSMENT WORKSHEETS

Comments due on: August 30, 2006

PROJECT TITLE: Lismore Hutterian Brethren, Inc., Swine Facility Project

DESCRIPTION: Lismore Hutterian Brethren, Inc., proposes two swine production units: a 480-foot by 128-foot mechanically ventilated farrowing barn and a 439-foot by 153-foot mechanically ventilated finishing barn. The total maximum capacity of this proposed project is 1,999 animal units, and will be located in Section 28 of Prior Township in Big Stone County, Minnesota. Manure will be stored underneath the barns in eight-foot deep engineered concrete pits and pumped out annually during the fall. The manure will subsequently be land applied, as directed in the manure management plan.

A copy of the Environmental Assessment Worksheet will be posted on the Minnesota Pollution Control Agency Web site, at the following:
<http://www.pca.state.mn.us/news/eaw/index.html>

RGU: Minnesota Pollution Control Agency

CONTACT PERSON:

Jim Sullivan, Project Manager
Operations and Environmental Review Section
Regional Environmental Management Division
Minnesota Pollution Control Agency
520 Lafayette Road N., St. Paul, MN 55155
(651) 297-1788

ABOUT THE EQB MONITOR

The *EQB Monitor* is a biweekly publication of the Environmental Quality Board that lists descriptions and deadlines for Environmental Assessment Worksheets, Environmental Impact Statements and other notices.

The *EQB Monitor* is posted on the Environmental Quality Board home page at <http://www.eqb.state.mn.us/>

Vol. 30, No. 16

Next issue: August 14, 2006

Submittal deadline: August 7, 2006

PROJECT TITLE: Becker Wastewater Treatment Facility Upgrade & Expansion

DESCRIPTION: The city of Becker in Sherburne County, Minnesota, is proposing to expand the treatment capacity of its wastewater treatment facility from an average wet weather design flow of 0.85 million gallons per day (mgd) to 2.15 mgd. Certain current mass loading limits will be “frozen.” Treated effluent will continue to discharge to the Elk River. In addition to the Environmental Assessment Worksheet, the MPCA’s draft National Pollutant Discharge Elimination System (NPDES)/State Disposal System (SDS) Permit will be available for public comment concurrently. The contact person for the NPDES/SDS Permit is Robin Novotny, at (218) 828-6114.

A copy of the Environmental Assessment Worksheet will be posted on the Minnesota Pollution Control Agency Web site, at the following: <http://www.pca.state.mn.us/news/eaw/index.html>

RGU: Minnesota Pollution Control Agency

CONTACT PERSON:

Dana Vanderbosch, Project Manager
Environmental Review and Operations Section
Regional Division
Minnesota Pollution Control Agency
520 Lafayette Road N., St. Paul, MN 55155
(651) 297-1796

PROJECT TITLE: Hancock Wastewater Treatment Facility Improvement Project

DESCRIPTION: The city of Hancock (City) is proposing to construct a new wastewater stabilization pond, which will replace the existing wastewater treatment facility that currently serves the City, with an average wet weather flow (AWWF) of 143,000 gallons per day (gpd). The new stabilization pond system will be constructed to handle an AWWF design of 182,900 gpd. The project will involve the construction of a new lift station, new force main, a 25.26-acre stabilization pond system, and an outfall line.

A copy of the Environmental Assessment Worksheet will be posted on the Minnesota Pollution Control Agency Web site, at the following: <http://www.pca.state.mn.us/news/eaw/index.html>

RGU: Minnesota Pollution Control Agency

CONTACT PERSON:

Kevin J. Kain, Project Manager
Environmental Review and Operations Section
Regional Division
Minnesota Pollution Control Agency
520 Lafayette Road N., St. Paul, MN 55155
(651) 296-7432

PROJECT TITLE: Pig City

DESCRIPTION: Mr. Denny Holtrop is proposing the construction of a new finishing hog facility in Section 35 of Osborne Township in Pipestone County. The facility will have a maximum capacity of 4,800 finishing hogs (totaling 1,440 animal units) to be housed in two 192-foot by 101-foot barns. Manure will be collected in eight-foot-deep concrete pits located beneath each barn. Each fall, the manure will be pumped from the pits and sweep injected at agronomic rates into designated cropland as fertilizer.

A copy of the Environmental Assessment Worksheet will be posted on the Minnesota Pollution Control Agency Web site, at the following: <http://www.pca.state.mn.us/news/eaw/index.html>

RGU: Minnesota Pollution Control Agency

CONTACT PERSON:

Joel Fischer, Project Manager
Environmental Review and Operations Section
Regional Division
Minnesota Pollution Control Agency
520 Lafayette Road N., St. Paul, MN 55155
(651) 296-8643

PROJECT TITLE: Lundy Feedlot Expansion

DESCRIPTION: Mr. Brad Lundy is proposing the expansion of an existing finishing hog facility in Section 24 of Cerro Gordo Township in Lac qui Parle County. The facility currently has a maximum capacity of 2,000 hogs (600 animal units) housed in a single barn. The proposed facility expansion will consist of an additional 2,000 finishing hogs (600 animal units) to be housed in a second barn, for a maximum facility capacity of 4,000 hogs (1,200 animal units). Similar to the existing barn, manure will be collected in an eight-foot-deep concrete pit beneath the new barn. Each fall, the manure will be pumped from the pits and sweep injected at agronomic rates into designated cropland as fertilizer.

A copy of the Environmental Assessment Worksheet will be posted on the Minnesota Pollution Control Agency Web site, at the following: <http://www.pca.state.mn.us/news/eaw/index.html>

RGU: Minnesota Pollution Control Agency

CONTACT PERSON:

Joel Fischer, Project Manager
Environmental Review and Operations Section
Regional Division
Minnesota Pollution Control Agency
520 Lafayette Road N., St. Paul, MN 55155
(651) 296-8643

PROJECT TITLE: Lake LaBelle Restoration Project

DESCRIPTION: Pickwick Mill, Inc. is proposing to dredge approximately 25,000 cubic yards of accumulated sediments from Lake LaBelle (a.k.a. Pickwick Mill pond) with permanent disposition on

adjacent properties. The project is needed to reestablish the function of the flood control structures and to restore the hydraulic capacity necessary for the operation of Minnesota's largest water-powered mill.

RGU: Winona County

CONTACT PERSON:

Eric Johnson, Interim Planning Director
177 Main Street
Winona, MN 55987
507/457-6335
ejohnson@co.winona.mn.us

PROJECT TITLE: The Woods at Miltona

DESCRIPTION: The Woods at Miltona is a 78-unit single-family residential development located on 131 acres in Miltona Township of Douglas County. The project will include infrastructure construction and home construction and will be serviced by individual sewage treatment systems and private wells.

RGU: Douglas County

CONTACT PERSON:

Rebecca Sternquist
Director, Land and Resource Management
305 8th Ave. W
Alexandria, MN 56308
Phone: 320-762-3863
Fax: 320-762-2942

PROJECT TITLE: Highway 65 Silverdale Bridge replacement over the Little Fork River and Highway Reconstruction

DESCRIPTION: The proposed action includes reconstruction of 1.2 miles of Trunk Highway (TH) 65 on new alignment and replacing Bridge 5721 over the Little Fork River. The highway improvement is located in Koochiching County, from 7.1 miles north of the Itasca County line to the junction of Koochiching County Road 19.

RGU: Minnesota Department of Transportation

CONTACT PERSON:

Brian K. Larson, Project Manager
Minnesota Department of Transportation, District 1
1123 Mesaba Avenue
Duluth, MN 55811
Phone: 218-723-4960, ext. 3322
brian.larson@dot.state.mn.us

PROJECT TITLE: Reconstruction of TH 71 South of Bemidji from 7th Street to CSAH 9 (South Plantagenet Lake Road)

DESCRIPTION: The proposed action will include the following: From 7th Street to Carr Lake Road, converting the existing two lane highway to a five lane highway with center turn lane. From Carr Lake Road to North Plantagenet Lake Road, converting the existing highway from two lanes to a four lane divided highway. From the end of the four lane highway south to CSAH 9, TH 71 will remain a two lane road with the addition of turn lanes where necessary.

RGU: Minnesota Department of Transportation

CONTACT PERSON:

Michael Coleman, Project Manager
Minnesota Department of Transportation, District 2
3920 Highway 2 West
Bemidji, MN 56601
Phone: 218-755-3847
Michael.coleman@dot.state.mn.us

PROJECT TITLE: 602 First Street No. Renovation

DESCRIPTION: The project entails the renovation of an existing one-story warehouse into a residence and studio by adding a second story and rear addition along with re-cladding the front, side and rear facades. The building is located within the St.. Anthony Falls Historic District and the Minneapolis Warehouse Historic District.

The EAW will be posted on the City of Minneapolis web site <http://www.ci.minneapolis.mn.us/planning>. For further information about the EAW or to receive a copy of the EAW, contact the Senior Planner.

RGU: City of Minneapolis

CONTACT PERSON:

Becca Farrar, Senior Planner
Community Planning & Economic Development (CPED)
City of Minneapolis
Room 300, Public Service Center
250 So. Fourth St.
Minneapolis, MN 55415
Phone: 612- 673-3594
Fax: 612-673-2526
Rebecca.farrar@ci.minneapolis.mn.us

PROJECT TITLE: Tea Cracker Cove

DESCRIPTION: Proposed Tea Cracker Cove is a residential development consisting of 11 riparian lots situated along the north and east shores of Tea Cracker Lake. The average lot size is 3.8 acres and the average shoreline per lot is 359 feet.

RGU: Becker County

CONTACT PERSON:

Patty Johnson, Zoning Administrator
835 Lake Ave.
Detroit Lakes, MN
Phone: 218-846-7314
Fax: 846-7266
pljohns@co.becker

PROJECT TITLE: CSAH 78 Environmental Assessment/Environmental Assessment Worksheet

DESCRIPTION: The proposed project will reconstruct approximately 2.4 miles of CSAH 78 from 1,700 feet south of TH 242 to 2,600 feet north of CSAH 116. The project will involve reconstructing the two-lane rural (shoulders and ditches) roadway to a four-lane urban (curb and gutter) roadway on an alignment adjusted slightly to the east. Turn lanes will be added along with a concrete median. Access to/from CSAH 78 will be modified. A continuous walkway/bikeway will be constructed for pedestrians and bicyclists, including a pedestrian/bicycle underpass. Signal revisions are planned for the traffic signals at TH 242 and CSAH 116, and a signal will also be added at 139th Lane NW. Construction is anticipated to begin in Fall 2006 and be completed in Fall 2007. A public hearing to comment on the Environmental Assessment/Environmental Assessment Worksheet has been scheduled for Tuesday, August 22, 2006, from 6:00 p.m. to 7:00 p.m., at Bunker Hills Activity Center. Written comments on the Environmental Assessment/Environmental Assessment Worksheet should be submitted prior to the close of the 30-day comment period on September 1, 2006, to the contact person listed below.

RGU: Anoka County Board of Commissioners

CONTACT PERSON:

Margaret Langfield, Chair
Anoka County Government Center
2100 3rd Ave.
Anoka, MN 55303-2265
Phone: 763-862-4200 (Government Center)
Fax: 763-862-4201

PROJECT TITLE: Restoration of Mill Pond in Jordan

DESCRIPTION: Mill Pond is a state protected water (#70-113) that historically became used as a stormwater detention pond. In addition, it serves as the principal feature of a large city park. The proposed restoration involves the removal of approximately 3 feet of siltation build-up.

RGU: The City of Jordan is both the proposer and the RGU.

CONTACT PERSON:

City of Jordan
Ed Shukle, City Administrator
210 E First St.

Jordan, MN 55352
Phone: 952-492-2535
Fax: 952-492-3861
eshukle@ci.jordan.mn.us

PROJECT TITLE: Valley Creek Stream Habitat Restoration Project

DESCRIPTION: The Minnesota Department of Natural Resources (MDNR) proposes a stream restoration project to create a 400 foot long new channel to improve stream habitat for trout and associated cold-water organisms replacing 305 feet of existing channel on Valley Creek in the City of Afton in Washington County. Valley Creek is a MDNR-designated trout stream. The proposed stream restoration project is intended to result in a more diverse riffle-pool habitat in Valley Creek, increased long-term channel stability, increased potential spawning and rearing areas, and more complex bank cover for fish habitat.

The MDNR will accept written comments on the Environmental Assessment Worksheet (EAW) during the public review and comment period, which concludes Wednesday, August 30, 2006 at 4:30 p.m.

Written comments should be submitted to Charlotte Cohn, EAW Project Manager, Environmental Policy and Review Unit, Division of Ecological Services, Department of Natural Resources, 500 Lafayette Road, St. Paul, Minnesota, 55155-4025. Electronic or e-mail comments may be sent to environmental.review@dnr.state.mn.us with "Valley Creek Restoration" in the subject line. If submitting comments electronically, please include your name and mailing address.

Public review copies of the EAW are available at the following locations:

- MDNR Library, 500 Lafayette Road, St. Paul, Minnesota, 55155;
- MDNR Regional Headquarters, 1200 Warner Road, St. Paul, Minnesota, 55106;
- MDNR Afton State Park contact station, 3959 Peller Avenue South, Hastings, Minnesota, 55003, (park hours generally 9 a.m. to 4 p.m. with later closing times but call 651-436-5391 to confirm when office is open);
- Minneapolis Public Library, Technology and Science Department, 300 Nicollet Mall, Minneapolis, Minnesota, 55401;
- Legislative Reference Library, 645 State Office Building, 100 Rev. Dr. Martin Luther King, Jr. Blvd., St. Paul, Minnesota, 55155;
- Park Grove Cottage Grove Branch of Washington County Library, 7900 Hemingway Avenue South, Cottage Grove, Minnesota, 55016;
- Valley Branch Lakeland Branch of Washington County Library, 380 St. Croix Trail South, Lakeland, Minnesota, 55043; and
- R.H. Stafford Woodbury Branch of Washington County Library, 8595 Central Park Place, Woodbury, Minnesota, 55125.

The EAW is also posted on the MDNR's website at www.dnr.state.mn.us. (Click on "Public Input", then select "Valley Creek Stream Habitat Restoration Project" from the scroll-down list under "Environmental Review"). Additional copies may be requested by calling (651) 259-5072.

EIS NEED DECISIONS

The responsible governmental unit has determined the following projects do not require preparations of an EIS. The dates given are, respectively, the date of the determination and the date the EAW notice was published in the EQB Monitor.

- Cass County Planning Commission (PC), Antler Ridge, July 11, 2006 (March 13, 2006)
- Hennepin County Transportation Department, Hennepin CSAH 101, State Project 27-701-13, July 20, 2006 (May 22, 2006)
- City of Eagan, Trunk Highway 149 from Albano Trail to TH 55, July 13, 2006 (May 22, 2006)
- City of Maplewood, Carver Crossing Project, July 10, 2006 (March 13, 2006)

PETITIONS FILED

The following petitions have been filed with the EQB requesting preparation of an EAW. The EQB has assigned the indicated unit of government to review the petition and decide on the need for an EAW.

- Douglas County, Lookout Hill Plat, Child's Lake

AUAR UPDATE

FARMINGTON SEED/GENSTAR AUAR

The AUAR Update for the Farmington Seed/Genstar Alternative Urban Areawide Review focuses on changes in roadway infrastructure proposed for the project.

The EQB Guide to Minnesota Environmental Review rules indicates that state agencies have 10 working days from the receipt of the AUAR Update to raise any objections to the updated analysis. Other organizations or persons may submit comments or suggest changes in the document. We estimate that reviewers will receive this document during the week of July 24, 2006. The notice of the update will be included in the EQB Monitor published July 31. Therefore, any objections should be sent to the city by August 11, 2006. Objections should be sent to:

Lee Smick, Planning Department
City of Farmington
325 Oak St.
Farmington, MN 55024

JEWEL AUAR UPDATE

The Mississippi Jewel Alternative Urban Areawide Review (AUAR) was adopted by the city of Lake City in October of 2001. Under Minnesota state law, in order to remain a valid alternative to the regular environmental review process, the AUAR must be updated every five years until all development in the

area has been approved. Since not all areas within the Jewel project have received development approval from the city, the Jewel AUAR must be updated prior to October of this year to remain a valid form of review.

The Jewel began working with Emmons and Olivier Resources in 2005 to prepare an AUAR update report, and more recently has hired GGG Engineering to complete a final draft of this report. The Lake City Common Council, acting as the Responsible Government Unit (RGU) for this project, has authorized the distribution of this report for comments consistent with the state of Minnesota's environmental regulations concerning an AUAR. The minimum review period specified under state law is ten days; however, the Lake City Common Council has chosen to provide all reviewers with 20 days to comment on the 5-year update report. The review period will therefore start on July 18, 2006, and end on August 15, 2006.

In general, the update report indicates that the Jewel project area will be developed at a lower density and at a slower rate than anticipated in 2001. Over the past five years, there have been issues raised locally and by external agencies concerning issues such as storm water management, development limits in bluff areas, and wetlands protection, and an update to some of these specific matters has been included in the beginning section of the attached AUAR update report. The report generally follows the format used for the preliminary and final Mississippi Jewel AUAR, and any relevant exhibits have been included as attachments to the main report. Please note that a copy of the approved mitigation plan for the project is included as such an exhibit in the latter section of the document.

If you have any questions about the report or the city's review process, contact:

Kyle Klatt, Director of Planning
205 W Center St.
Lake City, MN 55041
Phone: 651-345-5383
Fax; 651- 3345-3209
kylek@lakecitygov.com

NOTICES

PUBLIC MEETING NOTICE—MINNESOTA FOREST RESOURCES COUNCIL'S

BIOMASS GUIDELINE COMMITTEE

The Minnesota Forest Resources Council (MFRC) Biomass Guideline Committee will meet on Thursday, August 17, 2006, from 9:30 a.m. to 4:30 p.m. The meeting will be held at either the University of Minnesota's Cloquet Forestry Center, located at 175 University Road in Cloquet or at the Natural Resources Research Institute, located in Duluth at 5013 Miller Trunk Highway. To get additional details about the meeting and the final location for the meeting, please contact Dick Rossman at 218-755-4062.

MINNESOTA DEPARTMENT OF COMMERCE

NOTICE OF PUBLIC MEETING

Large Electric Power Generating Plant Site
High Voltage Transmission Line Route
Natural Gas Pipeline Route (Partial Exemption)
Joint Permit Application
Mesaba Energy Project Proposed by Excelsior Energy, Inc.
PUC Docket No. E6472/GS-06-668

PLEASE TAKE NOTICE that the Minnesota Department of Commerce (DOC) will hold public informational/Environmental Impact Statement scoping meetings on the Joint Permit Application submitted to the Minnesota Public Utilities Commission (PUC) by Excelsior Energy concerning the proposed Mesaba Energy Project.

Public Meeting. DOC will conduct two public information/scoping meetings in which details concerning the proposed Mesaba Project will be presented and governmental agencies, organizations, and the general public will be afforded an opportunity to ask questions and provide input into the EIS scoping decision.

The scoping meetings will be held beginning at 7 p.m. at the following locations:

West Range

Tuesday, August 22, 2006
Taconite Community Center
26 Haynes Street
Taconite, MN

East Range

Wednesday, August 23, 2006
Hoyt Lakes Arena
106 Kennedy Memorial Drive
Hoyt Lakes, MN

The public is invited to an informal "poster" session at each location beginning at 4 p.m. on the date of each meeting during which the applicant, DOC/PUC and DOE personnel will be present to discuss the proposed project and the EIS process. Displays and other forms of information about the proposed Mesaba Project will be made available to the public for review.

The public will also have until Wednesday, August 30, 2006, to submit written comments to the DOC on the scope of the EIS. Written comments should be mailed to Bill Storm (bill.storm@state.mn.us), Minnesota Department of Commerce, 85 7th Place, Suite 500, St. Paul, Minnesota 55101-2198.

Background. On June 19, 2006, Excelsior Energy submitted to the PUC a Joint Permit Application for a LEPGP site permit, a HVTL routing permit and a pipeline (partial exemption) routing permit associated with the proposed Mesaba Energy Project. On July 6, 2006, the PUC accepted the application as substantially complete and notified the applicant in writing of the decision. Copies of the application can be obtained through the DOC Project Manager and maybe viewed at PUC web site (<http://energyfacilities.puc.state.mn.us/Docket.html?Id=16573>); persons can also register to be added to the project mailing list at this site.

Regulatory Review Process. In accordance with the Power Plant Siting Act a site permit and a route permit is required before a large electric power generating plant (LEPGP) or high voltage transmission line (HVTL) can be constructed. The power plant siting act requirement became law in 1973 in Minnesota

Statutes, 116C.51 through 116C.69. The rules to implement the permitting requirement for LEPGP are in Minnesota Rules Chapter 4400.

A LEPGP is defined as any electric power generating equipment and associated facilities designed for or capable of operation at a capacity of 50,000 kilowatts or more. A HVTL is defined as a conductor of electric energy and associated facilities designed for and capable of operating at a nominal voltage of 100 kilovolts or more either immediately or without significant modification.

A pipeline route permit from the Public Utilities Commission is required for the construction of certain pipelines (Minnesota Statutes 116I.015). The PUC has jurisdiction over pipelines that are designed to carry natural gas and be operated at a pressure of more than 275 pounds per square inch. However, the PUC's authority does not apply to interstate natural gas pipelines regulated under the federal Natural Gas Act and to pipeline owners or operators who are defined as a natural gas public utility under Minn. Stat. Sec. 216B.02.

Minnesota rule Chapter 4400.0675, Joint Processing, allows an applicant to combine applications for a LEPGP site permit, a HVTL route permit and a pipeline route permit into a single, joint filing.

Excelsior Energy's Joint Permit Application will be reviewed under the Full Review Process (Minn. Rule Chapter 4400) within the Power Plant Siting Act. Under the full permitting process the applicant is required to submit two sites and/or routes (i.e., a preferred and an alternate) for consideration. As part of the permitting process, the Department of Commerce is responsible for certain procedural requirements (i.e., public notice and meetings), issuing the EIS Scoping Decision and the preparation of an Environmental Impact Statement (EIS). A contested case hearing will also be conducted following completion of the draft EIS. The PUC has up to one year from the time the application is accepted to complete the process and make a final decision; that decision includes a determination on the adequacy of the EIS and the determination whether to grant the requested permits, as well as, site/route selection and permit conditions.

Project Description. Excelsior Energy is proposing to construct and operate a coal-feedstock Integrated Gasification Combined Cycle ("IGCC") power plant. The proposed power plant will be constructed in two phases; each phase will be capable of producing approximately 600 MW (net) of baseload power.


The two sites under consideration are located on the Iron Range. The applicant's preferred site, referred to as the West Range site (approximately 1,260 acres) is located just north of the city of Taconite in Itasca County, MN. The alternative site, referred to as the East Range site (approximately 825 acres) is located about one mile north of the city of Hoyt Lakes in St. Louis County, MN.

In the E-GasTM process, coal, petroleum coke, or blends of coal and petroleum coke are crushed, slurried with water, and pumped into a pressurized vessel (the gasifier) along with purified amounts of oxygen. In the gasifier, controlled reactions take place, thermally converting feedstock materials into a gaseous fuel known as synthetic gas, or syngas. The syngas is cooled, cleaned of contaminants, and then combusted in a combustion turbine (CT), which is directly connected to an electric generator. The assembly of the CT and generator is known as a combustion turbine generator (CTG). The expansion of hot combustion gases inside the CT creates rotational energy that spins the generator and produces electricity. The hot exhaust gases exiting the CTG pass through a heat recovery steam generator (HRSG), a type of boiler, where steam is produced. The resulting steam is piped to a steam turbine that is connected to an electric generator. The expansion of steam inside the steam turbine spins the generator to produce an additional amount of electricity. When a CTG and a steam turbine generator (STG) are operated in tandem at one location to


produce electricity, the combination of equipment is referred to as a combined cycle electric power plant. Combining the gasification process with the combined cycle design is known as integrated gasification combined cycle (IGCC).

When both phases are completed the power block will consist of two CTG (approximately 220 MW each) and one STG (approximately 300 MW). Three gasifiers, two on-line and one off-line during operation, will supply the CTG with syngas. Power generated from the project will be interconnected to the regional electrical grid via high voltage transmission lines, either at the Blackberry or Forbes substations depending on which site (i.e., West Range or East Range, respectively) is selected.

Inquiries about this project should be directed to the DOC project manager, Bill Storm (bill.storm@state.mn.us) or the public adviser, Deb Pile (Deborah.Pile@State.mn.us) 85 7th Place East, Suite 500, St. Paul, MN 55101, telephone 651.296.9535, facsimile 651.296.3698 (TTY relay service 800.627.3529).



WEST RANGE SITE



EAST RANGE SITE

I:\EQB\Power Plant Siting\Projects - Active\Excelsior - Mesaba Energy\Notice\Notice-Public-Meeting.doc

CORRECTION

The public notice period for Pre-Finishing Specialists, Inc. (PSI), published in the July 3, 2006, *EQB Monitor*, should have been 45 days, making comments due August 17, 2006. We apologize for any inconvenience this may have caused.



Minnesota Environmental Quality Board
Department of Administration

First Class
U.S. Postage
PAID
Permit No. 171
St. Paul, MN

Vol. 30 No. 16

Upon request, the *EQB Monitor* will be made available in an alternative format, such as Braille, large print or audio tape. For TTY, contact Minnesota Relay Service at 800-627-3529 and ask for Department of Administration. For information on the *EQB Monitor*, contact:

Minnesota Environmental Quality Board
300 Centennial, 658 Cedar St.
St. Paul, MN 55155-1388

Phone: 651-201-2480

Fax: 651-296-3698

E-mail: <mailto:eqb.monitor@state.mn.us>
